s/n: 10/633,546 date: 8-2-04

4 0 400 4 40 MBBM		7/04/04 40
4 3433142.URPN.	USPAT	7/31/04 12:
("3183776" "3433142" "3571588" "4018527" "4199247"	11	
"4257086" "4435075" "4893225" "5072249" "5073847" "5207494		7/31/04 12:
12 "5323301") PN. 4 5072249 URPN.	USPAT USPAT	7/31/04 12: 7/31/04 11:
	USPAT	7/3 1/04 11:
((iris or diaphragm or shutter or aperture) same pin\$2 same light) and 484 (base with (slot or groove))	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
(((359/739,894,227,234) or	03FA1, 03-FGF0B, IBM_1DB	7/31/04 11.
(((336/452,505,493,510,462,463,474,487,488)).CCLS.) and (((iris or		
diaphragm or shutter or aperture) same pin\$2 same light) and (base		
35 with (slot or groove)))	USPAT; US-PGPUB; IBM TDB	7/31/04 11:
((iris or diaphragm or shutter or aperture) same pin\$2 same light) same		7701704 11.
1079 (slot or groove)	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
2249 (iris or diaphragm or shutter) same pin\$2 same light	USPAT; US-PGPUB; IBM TDB	7/31/04 11:
(((iris or diaphragm or shutter) same pin\$2 same light) same control)		
204 same (slot or groove)	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
4968 (iris or diaphragm or shutter or aperture) same pin\$2 same light	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
5 ("3668995" "3727531" "4975725" "5225936" "5250971").PN.	USPAT	7/31/04 11:
(((iris or diaphragm or shutter) same pin\$2 same light) same control)		
and (((359/739,894,227,234) or		
51 (396/452,505,493,510,462,463,474,487,488)).CCLS.)	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
((((iris or diaphragm or shutter) same pin\$2 same light) same control)	_	•
same (slot or groove)) and (((359/739,894,227,234) or		
22 (396/452,505,493,510,462,463,474,487,488)).CCLS.)	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
((iris or diaphragm or shutter) same pin\$2 same light) and		
(((359/739,894,227,234) or		
174 (396/452,505,493,510,462,463,474,487,488)).CCLS.)	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
650 ((iris or diaphragm or shutter) same pin\$2 same light) same control	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
((359/739,894,227) or		
2222 (396/452,505,493,510,462,463,474,487,488)).CCLS.	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
((359/739,894,227,234) or		
2377 (396/452,505,493,510,462,463,474,487,488)).CCLS.	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
(((iris or diaphragm or shutter) same pin\$2 same light) and		
(((359/739,894,227,234) or	HODAT HO DODIES IDM TOD	7/04/04 44:
135 (396/452,505,493,510,462,463,474,487,488)).CCLS.)) and control	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
4 2830617.URPN.	USPAT	7/31/04 11:
("2508615" "2557213" "2608278" "2649272" "2830617" 10 "2934892" "3181451" "3706290" "4094492" "4095514").PN.	USPAT	7/31/04 11:
13 4094492.URPN.	USPAT	7/31/04 11:
6 4232595.URPN.	USPAT	7/31/04 11:
((359/234).CCLS.) and (iris or diphragm or shutter) and (manual same		775 1704 11.
3 automatic)	USPAT; US-PGPUB; IBM_TDB	7/31/04 11:
303 iris with valve	USPAT; US-PGPUB; IBM_TDB	
29 iris with shutter with valve	USPAT; US-PGPUB; IBM TDB	7/31/04 11:
((359/234).CCLS.) and (iris or diphragm or shutter) and (manual and	0017117 00 1 01 027 12111_122	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
3 automatic)	USPAT; US-PGPUB; IBM TDB	7/31/04 10:
28 ((359/234).CCLS.) and (iris or diphragm or shutter) and motor	USPAT; US-PGPUB; IBM TDB	7/31/04 10:
4 ("3654845" "3687042" "4100558" "4113359").PN.	USPAT	7/31/04 10:
192 (359/234).CCLS.	USPAT; US-PGPUB; IBM_TDB	7/31/04 10:
9 (punch or pierce) with curl with fasten\$5	USPAT; US-PGPUB; IBM_TDB	7/31/04 10:
32 pierce with curl	USPAT; US-PGPUB; IBM_TDB	7/31/04 10:
04 (/250/224) 001 \ =4 /5 -1	A	7/04/04 40:
61 ((359/234).CCL .) nd (f sten\$5 r tt ch\$5 r rivet\$5 r gr mmet\$5)) A; -G;IM_	7/31/04 10:

		("2821764" "3551956" "4306511" "4611381" "4860425"		
	9	"4956139" "4965933" "5359761" "5448824").PN.	USPAT	7/31/04 10:
		2553622.URPN.	USPAT	7/31/04 10:
		2439330.URPN.	USPAT	7/31/04 10:
		5803571.URPN.	USPAT	7/31/04 10:
	_	("2195166" "2439330" "2465578" "3049615" "4210955"	001711	170 170 4 10.
	7	"4890208" "5345371").PN.	USPAT	7/31/04 10:
		2195166.URPN.	USPAT	7/31/04 10:
		1288555.URPN.	USPAT	7/31/04 10:
		1503800.URPN.	USPAT	7/31/04 10:
		D315743.URPN.	USPAT	7/31/04 10:
				7/31/04 10:
		brass with fastener with legs	USPAT; US-PGPUB; IBM_TDB	7/31/04 10:
		1139444.URPN.	USPAT	
		5541694.URPN.	USPAT	7/31/04 10:
		("4956139" "4962202" "4965617" "5025278").PN.	USPAT	7/31/04 10:
		("4009946" "4956139").PN.	USPAT	7/31/04 10:
		5731016.URPN.	USPAT	7/31/04 10:
	7	4956139.URPN.	USPAT	7/31/04 10:
		("2688581" "3077658" "3366512" "3890679" "3952402"		= (0.1/0.1.10
		"4135297" "4202091" "4230659").PN.	USPAT	7/31/04 10:
	0	6375155.URPN.	USPAT	7/31/04 9:
		("1999699" "2649272" "3101736" "4094492" "4095514"		
		"4513948" "5549086" "5802716" "5975493" "5993978").PN.	USPAT	7/31/04 9:
	11	2649272.URPN.	USPAT	7/31/04 9:
		("2508615" "2557213" "2608278" "2649272" "2830617"		
		"2934892" "3181451" "3706290" "4094492" "4095514").PN.	USPAT	7/31/04 9:
	37	(bendable with fastener) same (rotat\$5 or pivot\$5)	USPAT; US-PGPUB; IBM_TDB	7/31/04 9:
	371	bendable with fastener	USPAT; US-PGPUB; IBM_TDB	7/31/04 9:
	5	3762266.URPN.	USPAT	7/31/04 9:
		("3685391" "2399773" "2765227" "3326678" "3665073"		
	6	"2393564").PN.	USPAT	7/31/04 9:
	167	(fasten\$5 with (fold or bend)) with (pivot or rotate)	USPAT; US-PGPUB; IBM_TDB	7/31/04 7:
:	2073	(fasten\$5 with (fold or bend)) and (pivot or rotate)	USPAT; US-PGPUB; IBM_TDB	7/31/04 7:
	337	(fasten\$5 with (fold or bend)) same (pivot or rotate)	USPAT; US-PGPUB; IBM_TDB	7/31/04 7:
	73	fasten\$5 same (integral with grommet)	USPAT; US-PGPUB; IBM_TDB	7/31/04 7:
(6623	fasten\$5 with (fold or bend)	USPAT; US-PGPUB; IBM_TDB	7/31/04 7:
	24	fastener same punch same fold	USPAT; US-PGPUB; IBM_TDB	7/31/04 7:
		(359/739,894).CCLS.	USPAT; US-PGPUB; IBM_TDB	7/31/04 7:
	62	((359/739,227).CCLS.) and (blade or leaf)	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
		iris same fasten\$5	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
		(((359/739,894,227) or	_	
		(396/452,505,493,510,462,463,474,487,488)).CCLS.) and (iris same		
	5	fasten\$5)	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
	_	("2393408" "3744393" "4444489" "4470687" "4610524"	,	
	9	"4778255" "4961087" "5038168" "5325142").PN.	USPAT	7/30/04 17:
		4610524.URPN.	USPAT	7/30/04 17:
		(359/739,227).CCLS.	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
		(punch or stamp) same push same fold	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
1		mechanical adj fastener	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
•		(mechanical adj fastener) same pivot	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
		((mechanical adj fastener) same pivot) and leaf	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
		(iris with (leaf or leaves)) same fasten\$5	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
3		(iris or diaphragm or aperture) with fasten\$5	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
<u> </u>		(iris with (leaf or leaves)) with fasten\$5	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
		4232595.URPN.	USPAT	7/30/04 17:
		iris with (leaf or leaves)	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
		(iris with (le f r le ves)) nd pin	A ; - G ; I M_	7/30/04 17:
		1 1	- · · · · · · · · · · · · · · · · · · ·	

26 (iris with (leaf or leaves)) with pin		7/30/04 17:
(((iris or diaphragm or aperture) same ((leaf or blade) with (pivot\$3 or 13 rotat\$3))) same light) same fasten\$5	USPAT; US-PGPUB; IBM TDB	7/30/04 17:
83160 (iris or diaphragm or aperture) same light	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
((iris or diaphragm or aperture) same ((leaf or blade) with (pivot\$3 or	USPAT, US-PGPUB, IBM_TUB	7730/04 17.
863 rotat\$3))) same light	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
	USPAT; US-PGPUB; IBM_TDB	7/30/04 17:
19 grommet.ti. and (grommet with pivot) 1 grommet.in.	USPAT; US-PGPUB; IBM_TDB	7/30/04 17: 7/30/04 16:
660 grommet.ti.	USPAT; US-PGPUB; IBM_TDB	7/30/04 16:
260 grommet with pivot	USPAT; US-PGPUB; IBM_TDB	7/30/04 16:
5 3762266.URPN.	USPAT	7/30/04 16:
("2030167" "2030171" "2038189" "2511920" "2572246"	031 A1	1750704 10.
"2842022" "3426641" "3461771" "3747467" "3848389" "3995406	3 "	
14 "4046053" "4126076" "4767248").PN.	USPAT	7/30/04 16:
13 3848389.URPN.	USPAT	7/30/04 16:
("0980420" "1947906" "2080220" "2994933" "3740839"	001711	770070 7 10.
"3762266" "3848389" "4485816" "4512699" "4754538" "4841100)"	
12 "4985979").PN.	USPAT	7/30/04 16:
17 4512699.URPN.	USPAT	7/30/04 16:
2 (hollow with pin with rivet).ti.	USPAT; US-PGPUB; IBM_TDB	7/30/04 16:
5 3030850.URPN.	USPAT	7/30/04 16:
0 (hollow with pin with rivet).in.	USPAT; US-PGPUB; IBM_TDB	7/30/04 16:
20 (hollow with pin with rivet) same pivot	USPAT; US-PGPUB; IBM_TDB	7/30/04 16:
16 iris same rivet	USPAT; US-PGPUB; IBM_TDB	7/30/04 16:
221 hollow with pin with rivet	USPAT; US-PGPUB; IBM_TDB	7/30/04 16:
2 3836234.URPN.	USPAT	7/30/04 16:
20 rivet with fold with hole	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
1367 rivet with fasten	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
260 rivet with fold	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
0 ((359/227).CCLS.) same rivet	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
3 ((359/227).CCLS.) and rivet	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
237 (rivet with fasten) with hole	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
0 ((rivet with fasten) with hole) with fold	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
(((359/739,894,227) or		
(396/452,505,493,510,462,463,474,487,488)).CCLS.) and ((leaf or		=100101.15
4 blade) with (pivot\$3 or rotat\$3) with joint)	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
251 (359/227).CCLS.	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
3 3727531.URPN.	USPAT	7/30/04 15:
3 5394212.URPN.	USPAT	7/30/04 15:
1 4610524.URPN.	USPAT	7/30/04 15:
3 3727531.URPN.	USPAT	7/30/04 15:
2 ("3348463" "3727531").PN.	USPAT	7/30/04 15:
2 ("4009946" "4956139").PN.	USPAT	7/30/04 15:
8 4009946.URPN.	USPAT	7/30/04 15: 7/30/04 15:
2 ("4009946" "4956139").PN.	USPAT USPAT	7/30/04 15:
0 5731016.URPN. 0 5541694.URPN.	USPAT	7/30/04 15:
4 ("4956139" "4962202" "4965617" "5025278").PN.	USPAT	7/30/04 15:
7 4956139.URPN.	USPAT	7/30/04 15:
102270 (leaf or blade) with (pivot\$3 or rotat\$3)	USPAT; US-PGPUB; IBM_TDB	
1434 (leaf or blade) with (pivot\$3 or rotat\$3) with joint	USPAT; US-PGPUB; IBM TDB	
((((359/739,894,227) or	10, 00 . 0. 00, 10m_100	
((((396/452,505,493,510,462,463,474,487,488)).CCLS.) and ((iris or		
diaphragm or aperture) same ((leaf or blade) with (pivot\$3 or		
14 rotat\$3)))) and joint	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
3 burst with hole with joint	USPAT; US-PGPUB; IBM_TDB	7/30/04 15:
5 ("2481660" "3456351" "4774537" "4897681" "5099334"). N.	Α	7/30/04 15:

(iris or diaphragm or aperture) same ((leaf or blade) with (pivot\$3 or 7207 rotat\$3))

USPAT; US-PGPUB; IBM_TDB 7/30/04 15:

(((359/739,894,227) or

(396/452,505,493,510,462,463,474,487,488)).CCLS.) and ((iris or

340 diaphragm or aperture) same ((leaf or blade) with (pivot\$3 or rotat\$3))) USPAT; US-PGPUB; IBM_TDB 7/30/04 15:

572322 iris or diaphragm or aperture

USPAT; US-PGPUB; IBM_TDB 7/30/04 15: